



PRODUCT BROCHURE

BeeVision 272

Static Pallet Dimensioning System

Easy to Use and Smart




Meet the new generation pallet dimensioner

More advanced and more accurate!
Mount it and start to use it right away.



FEATURES

- Image capture of the pallets from two sides and minimize dimensioning conflicts with other parties
- Self-deployable and 0.5 sec super fast measurement
- No external PC or SW required and single calibration method
- Easy integration with scales, printers, scanners, and additional IP cameras
- Internally storage of measurement results
- Integration with BeeHive Warehouse Automation Management Software
- Measurement of regular and irregular shaped freights
- Accurate operations with 3D Imaging technology
- Capability of measuring shiny foils and black covered pallets
- Trigger measurements with handheld scanner, scale or API
- Optional Ground Mounting Kit available for easy installation



Optional Extra IP Camera

2 Units of IP Camera

Ground Mounting Kit

Optional Touch-Screen

Optional Integrated Scale

BeeVision 272

Weighing
Dimensioning
Image Capture
API Integration
Barcode Reading

TECHNICAL SPECIFICATIONS

Technology

AI Based 3D Imaging Technology

Measurable Objects

Regular and Irregular Shaped Freights

Maximum Measurable Object Dimensions

240cm x 240cm x 240cm

Minimum Measurable Object Dimensions

30cm x 30cm x 30cm

Accuracy

± 2cm

Integration Interface

Web Service, TCP/IP Socket, File Upload to FTP, SFTP or Samba, RS232

Ports

Wi-Fi, Ethernet, USB, RS232, HDMI

Maximum Power Consumption

75 W

Operating Temperature

-10°C - 80°C

Housing

Aluminium and Steel

Product Output

Width, Length, Height, Weight, Dimensional Weight, Real Volume, Barcode, Image

Dimensions (L x W x H) and Weight

Product: 274.5cm x 37.5cm x 40.5cm and 27kg
Package: 128cm x 47cm x 39cm and 35kg

